



USER INSTRUCTION MANUAL

PIT BULL SAFETY COVER®
CABLE SYSTEM

Professional Netting Concepts, L.L.C.
27952 Country Ln
Hockley, TX 77447

www.pncnets.com

The information contained in this user manual is the exclusive property of Professional Netting Concepts, L.L.C. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without prior written permission from Professional Netting Concepts, L.L.C.

Table of Contents

Certification	4
System Cautions	5
Parts & Components	6
Parts List	7
Opening Pit Bull Safety Cover®	10
Closing Pit Bull Safety Cover®	11
Carabiner Clip - Place & Remove	12
Care & Maintenance	13
Inspection Log	14
Frequently Asked Questions	23
Contact Us	24
Warranty Terms & Conditions	25

Certification

The purpose of this manual is to ensure the proper use of the Pit Bull Safety Cover®.

Proper use, function and maintenance will keep your cover working for the life expectancy of the system.

Professional Netting Concepts, L.L.C. *highly recommends* the installation of the Pit Bull Safety Cover® be completed by a “certified installer”.


A certified installer is trained and certified by Professional Netting Concepts, L.L.C.


If you are looking for a certified installer, please contact us at sales@pncnets.com

Congratulations on your purchase of the Pit Bull Safety Cover®. This manual contains important information on the use and care of your system.

The Pit Bull Safety Cover® was created with ease in mind but safety as a top priority.

Please read the following instructions carefully before use.

- 
- **ALWAYS** open and close the Pit Bull Safety Cover® from inside the pit.
 - **ALWAYS** secure the turnbuckle when the Pit Bull Safety Cover® is fully closed.
 - **ALWAYS** keep the Pit Bull Safety Cover® closed and locked when not in use.
 - **ALWAYS** complete monthly inspections of all components of the safety cover.


- 
- **NEVER** walk, jump or run on the Pit Bull Safety Cover®. The cover is made to save people and items from falling into the pit below but no one should step onto the pit cover for any reason.
 - **DO NOT** allow customers or children near the pit area at any time.
 - **NEVER** try to repair or alter your pit cover.
 - **NEVER** use a hook or something of that nature to open or close the Pit Bull Safety Cover® from above the pit area.

Pit Bull Safety Cover® Channel Parts & Components

Our goal is to make the end user familiar with the components, function and maintenance of the Pit Bull Safety Cover®. This manual will serve as a guide and reference for the user. The user should read the manual to get acquainted with how the Pit Bull Safety Cover® works. Listed below are the parts/components detail:



Aircraft Cable



Carabiner Clip




Cable Clamp



No-Step Label



Forged Eye




Turnbuckle



Pins & Backings



Hardware Bag




2" Polyester Webbing




Scan QR to
Order
Replacement
Parts

Pit Bull Safety Cover® Cable System




Install Video

SCAN ME



Pit Bull Safety Cover®

Carabiner Clips shown (top view) clipped to aircraft cable and attached through seared hole in webbing loop




Aircraft Cable

Cable is what the Pit Bull Safety Cover® glides on with Carabiner Clips to open & close




Carabiner Clip

Carabiner Clip attaches webbing to Aircraft Cable



Carabiner Clip w/o Opt Rod

Carabiner Clip is used to lock Pit Bull Safety Cover® in place




Carabiner Clip w Opt Rod

Carabiner Clip attaches to A/P Rod and Aircraft Cable is used to lock Pit Bull Safety Cover® in place




Active/Passive (AP) Rod

(Optional) guide bar on each end. Adapters slide onto ends and into channel.




Turnbuckle

Thimbles placed on each side with Aircraft Cable running through




Forged Eye

Forged Eyes are welded to corners of pit structures for Aircraft Cable to run through



Cable Clamps

Cable Clamps are placed on the ends of the aircraft cable and clamped in place, on each end of the safety cover.



Forged Eye Placement

Diagram shows placement of Forged Eye at corners (and middle if system is split)



No-Step Labels

Pins and Backings for attachment

How to OPEN Pit Bull Safety Cover®


The Pit Bull Safety Cover® was designed and constructed to "reduce" or minimize injuries sustained during normal use when installed correctly.



Locate Turnbuckle, Active/Passive Rod and Cable Clamps at either end of pit cover, **unhook Carabiner Clip(s)** and **PUSH** webbing (with two hands evenly apart) while walking forward so Carabiner Clips slide in unison along aircraft cable, opening the pit cover



Not Secured Position



Note: If your Cable System has NO Active/Passive Rod, simply unhook Carabiner Clips and PUSH webbing (with two hands evenly apart) while walking forward.

How to CLOSE Pit Bull Safety Cover®

The Pit Bull Safety Cover® should always be closed with the carabiner clip engaged unless working in the pit area.



Locate Carabiner Clips, and PULL webbing with two hands evenly apart while walking forward so Carabiner Clips slide in unison along aircraft cable



Locate Turnbuckle, Active/Passive Rod and Cable Clamps at either end of pit cover, **hook Carabiner Clip(s) to closed position**, (attaching the pit cover to Aircraft Cable or A/P Rod)




Secured Position


Note: If your Cable System has NO Active/Passive Rod, simply PULL webbing (with two hands evenly apart) while walking forward until closed. Hook carabiner clips to closed position.

Carabiner Clip Place/Remove

- ALWAYS secure the carabiner clips when the Pit Bull Safety Cover® is fully closed
- ALWAYS keep the Pit Bull Safety Cover® closed and locked when not in use



Carabiner Clip w Opt Rod



Carabiner Clip w/o Opt Rod

Don't FORGET!

Always keep foot traffic to a minimum around pit area, while safety cover is open.

Your Pit Bull Safety Cover® should glide effortlessly from one end of the pit area to the other and never sag more than a ½" from center of net.

Pit Bull Safety Cover® Care & Maintenance

It is not necessary to remove your Pit Bull Safety Cover® to clean if you generally wash your pit from top to bottom. However, to get the maximum life from your Pit Bull Safety Cover®, we recommend you follow the care and maintenance instructions below:

Light scrubbing of the webbing material is acceptable by using soft to medium brushes, air hosing, and shop vacuum cleaning to remove general gritty type dirt.

Professional Netting Concepts, L.L.C. suggest using a mild soap, such as Dawn Dishwashing Liquid or Woolite Laundry Detergent and hot water. Both of these products are a mild soap that will not harm your cover. With a medium stiff brush, apply the soap and water over the webbing of the Pit Bull®. Lightly scrub your webbing material. Always rinse thoroughly. A microfiber cloth is best to wipe dry, as it will not damage the webbing. Avoid using high pressure water equipment as this will degrade the webbing over time.

NO BLEACH, AMMONIA or CORROSIVE CHEMICALS

To remove stubborn grease stains, first brush off loose dirt, then cover the stains with cornstarch or baby powder and leave overnight. After brushing off the cornstarch, most or all of the stain should disappear. Repeat the process if necessary.

For the No-Step Labels, lightly clean with microfiber, luke-warm, and mild soap such as Dawn or Woolite. Rinse thoroughly and air dry.

Always keep your Channel track clean of any debris. We recommend a dry graphite spray to coat the inside of the c-channel. You can also use WD-40 or light grease.

Pit Bull Safety Cover® Inspection Log

The Pit Bull Safety Cover® Inspection Log takes under 30 minutes to complete. It is extremely important to inspect your entire system a minimum of every 3 months. As stated, if your vehicle count is high, Professional Netting Concepts, L.L.C. recommends monthly inspections to ensure your safety cover is functioning like it should.

Inspection Date: ___ / ___ / ___ Pit #: _____ Serial #: _____

Inspected By: _____ Location: _____

Item Inspected	Condition (Good/Fair/Bad)	Remarks:
PIT BULL SAFETY COVER® WEBBING		
AIRCRAFT CABLE		
CARABINER CLIPS		
CABLE CLAMPS CONNECTION		
FORGED EYES WELDS		
TURNBUCKLE/THIMBLE		
NO-STEP LABELS		
ALL OTHER HARDWARE		
OTHER:		

OVERALL CONDITION

Yes No Explain: (If yes, please explain)

Is webbing (Pit Bull®) sagging?	<input type="checkbox"/>	<input type="checkbox"/>	
Does stitching look good?	<input type="checkbox"/>	<input type="checkbox"/>	
Are No-Step Labels attached & legible?	<input type="checkbox"/>	<input type="checkbox"/>	
Does Pit Bull® slide well on aircraft cable?	<input type="checkbox"/>	<input type="checkbox"/>	
Any visible damage or concerns?	<input type="checkbox"/>	<input type="checkbox"/>	

Notes/Comments:

Need Additional Inspection Logs?
Download at www.pncnets.com

Pit Bull Safety Cover® Inspection Log

Inspection Date: ___ / ___ / ___ Pit #: _____ Serial #: _____

Inspected By: _____ Location: _____

Item Inspected	Condition (Good/Fair/Bad)	Remarks:
PIT BULL SAFETY COVER® WEBBING		
AIRCRAFT CABLE		
CARABINER CLIPS		
CABLE CLAMPS CONNECTION		
FORGED EYES WELDS		
TURNBUCKLE/THIMBLE		
NO-STEP LABELS		
ALL OTHER HARDWARE		
OTHER:		

OVERALL CONDITION

Yes No Explain: (If yes, please explain)

Is webbing (Pit Bull®) sagging?	<input type="checkbox"/>	<input type="checkbox"/>	
Does stitching look good?	<input type="checkbox"/>	<input type="checkbox"/>	
Are No-Step Labels attached & legible?	<input type="checkbox"/>	<input type="checkbox"/>	
Does Pit Bull® slide well on aircraft cable?	<input type="checkbox"/>	<input type="checkbox"/>	
Any visible damage or concerns?	<input type="checkbox"/>	<input type="checkbox"/>	

Notes/Comments:

Need Additional Inspection Logs?
Download at www.pncnets.com

Pit Bull Safety Cover® Inspection Log

Inspection Date: ___ / ___ / ___ Pit #: _____ Serial #: _____

Inspected By: _____ Location: _____

Item Inspected	Condition (Good/Fair/Bad)	Remarks:
PIT BULL SAFETY COVER® WEBBING		
AIRCRAFT CABLE		
CARABINER CLIPS		
CABLE CLAMPS CONNECTION		
FORGED EYES WELDS		
TURNBUCKLE/THIMBLE		
NO-STEP LABELS		
ALL OTHER HARDWARE		
OTHER:		

OVERALL CONDITION

Yes No Explain: (If yes, please explain)

Is webbing (Pit Bull®) sagging?	<input type="checkbox"/>	<input type="checkbox"/>	
Does stitching look good?	<input type="checkbox"/>	<input type="checkbox"/>	
Are No-Step Labels attached & legible?	<input type="checkbox"/>	<input type="checkbox"/>	
Does Pit Bull® slide well on aircraft cable?	<input type="checkbox"/>	<input type="checkbox"/>	
Any visible damage or concerns?	<input type="checkbox"/>	<input type="checkbox"/>	

Notes/Comments:

Pit Bull Safety Cover® Inspection Log

Inspection Date: ___ / ___ / ___ Pit #: _____ Serial #: _____

Inspected By: _____ Location: _____

Item Inspected	Condition (Good/Fair/Bad)	Remarks:
PIT BULL SAFETY COVER® WEBBING		
AIRCRAFT CABLE		
CARABINER CLIPS		
CABLE CLAMPS CONNECTION		
FORGED EYES WELDS		
TURNBUCKLE/THIMBLE		
NO-STEP LABELS		
ALL OTHER HARDWARE		
OTHER:		

OVERALL CONDITION

Yes No Explain: (If yes, please explain)

Is webbing (Pit Bull®) sagging?	<input type="checkbox"/>	<input type="checkbox"/>	
Does stitching look good?	<input type="checkbox"/>	<input type="checkbox"/>	
Are No-Step Labels attached & legible?	<input type="checkbox"/>	<input type="checkbox"/>	
Does Pit Bull® slide well on aircraft cable?	<input type="checkbox"/>	<input type="checkbox"/>	
Any visible damage or concerns?	<input type="checkbox"/>	<input type="checkbox"/>	

Notes/Comments:

Business Hours

Monday - Friday
9am -5pm CT

832-515-8385
sales@pncnets.com
www.pncnets.com

SCAN ME



WEBBING – One (1) Year Limited Warranty

The manufacturer warrants this product to be free from defects in workmanship under normal use and conditions for (1) Year from the original invoice date (excluding shipping and handling charges). This warranty only covers failures due to defects in the polyester material. The warranty does not cover failures due to damage in shipment, or failures which are caused by products not supplied by Professional Netting Concepts, L.L.C. or failures which result from an accident, vehicular traffic, misuse, abuse, neglect, mishandling, misapplication, alteration, faulty installation (by others not directly employed by Professional Netting Concepts, L.L.C. and any modification. Warranty does not cover damage caused by fire, floods, hurricanes, cyclones, tornados, earthquakes or any other extraordinary or unusual event. In no event shall Professional Netting Concepts, L.L.C. be liable for any consequential damages or for damages to the building, its contents or injury to its occupants. No liability for damages will be attributed to Professional Netting Concepts, L.L.C. resulting from unsuitable or improper use. Should defects be found during the required warranty, the customer shall bear the burden of proof to show that the defects were caused as a result of use during the designated warranty period. The Customer guarantees that he/she fully complied with the use, maintenance and care of the webbing being warranted. Such replacement is subject to verification of the defect and proof.

PARTS/HARDWARE – One (1) Year Limited Warranty

The manufacturer warrants this product to be free from defects in workmanship under normal use and conditions for (1) Year from the original invoice date (excluding shipping and handling charges). New parts in exchange for the defective parts for one (1) year after original purchase. The warranty only covers failures due to defective hardware which occurs during normal use. The warranty does not cover failures due to damage in shipment, or failures which are caused by products not supplied by Professional Netting Concepts, L.L.C. or failures which result from an accident, vehicular traffic, misuse, abuse, neglect, mishandling, misapplication, alteration, faulty installation (by others not directly employed by Professional Netting Concepts, L.L.C. and any modification. Warranty does not cover damage caused by fire, floods, hurricanes, cyclones, tornados, earthquakes, theft or any other extraordinary or unusual event. In no event shall Professional Netting Concepts, L.L.C. be liable for any consequential damages or for damages to the building, its contents or injury to its occupants. No liability for damages will be attributed to Professional Netting Concepts, L.L.C. resulting from unsuitable or improper use. Should defects be found during the required warranty, the customer shall bear the burden of proof to show that the defects were caused because of use during the designated warranty period. The Customer guarantees that he/she fully complied with the use, maintenance and care of the webbing being warranted. Such replacement is subject to verification of the defect and proof of purchase.

PARTS NOT INCLUDED IN WARRANTY

- No-Step Labels ARE NOT included in any kind of warranty from Professional Netting Concepts, L.L.C.

MANUFACTURER INSTALLATION

Manufacturer installations include (1) year warranty from date of installation. The manufacturer installation warranty includes only the installation of the Pit Bull Safety Cover®. The warranty shall include the labor for a period of one (1) year from installation. Defects in the installation that occur which affect the performance of the Pit Bull Safety Cover® and notified to us within this warranty period will be rectified at our discretion. Any person, not directly employed by Professional Netting Concepts, L.L.C. performing installations of the Pit Bull Safety Cover® **WILL NOT** be covered by the warranty, unless the person has been designated a **"Certified Installer"** by Professional Netting Concepts, L.L.C.

What is NOT COVERED:

1. Any installation defect that was apparent or ascertained at the time the work was completed but was not promptly reported.
2. Damage resulting from fires, storms, accidents, floods, hurricanes, cyclones, tornados, earthquakes, or any acts of God.
3. Damage related to customers failure to observe the maintenance and care of the product

All warranties are extended only to the original purchaser. The warranties shall be void if Professional Netting Concepts, L.L.C. fails to receive full payment. These warranties give you specific legal rights and you may also have rights which vary from state to state.

See a list of certified installers on our website www.pncnets.com

Copyright © 2025
Professional Netting Concepts, L.L.C.
All rights reserved.

COVERING ASSETS SINCE 1993

